

262202-25-04

Sample ID: 2605NBL0960.2667

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 06/01/2026

Completed: 06/02/2026

Expires: 06/02/2027

External Lot ID:

Batch#: 262202-25

Client

THC Provisions LLC

Lic. #

9300 Highway 290 W, Austin, TX 78736

(786) 614-8224 david@thcprovisions.com



Summary

Test	Date Tested	Result
Cannabinoids	06/01/2026	Complete

Cannabinoids

Complete

23.036 mg/unit	0.2377%	5.758 mg/unit	33.772 mg/unit
Total THC	Δ 9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.4660	0.699	ND	ND	ND
9R-HHC	0.4660	0.699	ND	ND	ND
(6aR,9S)-d10-THC	0.4660	0.699	ND	ND	ND
9S-HHC	0.4660	0.699	ND	ND	ND
CBC	0.4660	0.699	ND	ND	ND
CBCa	0.4660	0.699	ND	ND	ND
CBD	0.4660	0.699	5.758	0.59400	0.059
CBDa	0.4660	0.699	ND	ND	ND
CBDV	0.4660	0.699	ND	ND	ND
CBDVa	0.4660	0.699	ND	ND	ND
CBG	0.4660	0.699	4.979	0.51364	0.051
CBGa	0.4660	0.699	ND	ND	ND
CBN	0.4660	0.699	ND	ND	ND
CBNa	0.4660	0.699	ND	ND	ND
Δ 8-THC	0.4660	0.699	ND	ND	ND
Δ 9-THC	0.4660	0.699	23.036	2.37654	0.238
THCa	0.4660	0.699	ND	ND	ND
THCp	0.4660	0.699	ND	ND	ND
THCV	0.4660	0.699	ND	ND	ND
THCVa	0.4660	0.699	ND	ND	ND
Total THC			23.036	2.37654	0.238
Total CBD			5.758	0.59400	0.059
Total			33.772	3.48417	0.348

Date Tested: 06/01/2026

Unit Mass: 9.693 g, 1 Unit = 1 Gummy

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: \pm 0.040%; Total CBD Measurement of Uncertainty: \pm 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.