



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

262502-25-11

Sample ID: 2606NBL1123.3109

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 06/23/2026

Completed: 06/26/2026

Expires: 06/26/2027

External Lot ID:

Batch#: 262502-25

Client

THC Provisions LLC

Lic. #

9300 Highway 290 W, Austin, TX 78736

(786) 614-8224 chris@thcprovisions.com



Summary

Test
Cannabinoids

Date Tested
06/25/2026

Result
Complete

Cannabinoids

Complete

24.356 mg/unit

Total Δ9-THC

0.2483%

Δ9-THC

5.354 mg/unit

Total CBD

34.969 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.4439	0.666	ND	ND	ND
9R-HHC	0.4439	0.666	ND	ND	ND
(6aR,9S)-d10-THC	0.4439	0.666	ND	ND	ND
9S-HHC	0.4439	0.666	ND	ND	ND
CBC	0.4439	0.666	ND	ND	ND
CBCa	0.4439	0.666	ND	ND	ND
CBD	0.4439	0.666	5.354	0.54572	0.055
CBDa	0.4439	0.666	ND	ND	ND
CBDV	0.4439	0.666	ND	ND	ND
CBDVa	0.4439	0.666	ND	ND	ND
CBG	0.4439	0.666	5.260	0.53615	0.054
CBGa	0.4439	0.666	ND	ND	ND
CBN	0.4439	0.666	ND	ND	ND
CBNa	0.4439	0.666	ND	ND	ND
Δ8-THC	0.4439	0.666	ND	ND	ND
Δ9-THC	0.4439	0.666	24.356	2.48272	0.248
THCa	0.4439	0.666	ND	ND	ND
THCp	0.4439	0.666	ND	ND	ND
THCV	0.4439	0.666	ND	ND	ND
THCVa	0.4439	0.666	ND	ND	ND
Total THC			24.356	2.48272	0.248
Total CBD			5.354	0.54572	0.055
Total			34.969	3.56460	0.356

Date Tested: 06/25/2026

Unit Mass: 9.810 g, 1 Unit = 1 Gummy

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.