



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

263502-08-10

Sample ID: 2608NBL1533.4276

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 09/01/2026

Completed: 09/03/2026

Expires: 09/03/2027

External Lot ID:

Batch#: 263502-08

Client

THC Provisions LLC

Lic. #

9300 Highway 290 W, Austin, TX 78736

(786) 614-8224 chris@thcprovisions.com



Summary

Test
Cannabinoids

Date Tested
09/02/2026

Result
Complete

Cannabinoids

Complete

8.089 mg/unit

Total Δ^9 -THC

0.1330%

Δ^9 -THC

2.518 mg/unit

Total CBD

12.723 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.2830	0.424	ND	ND	ND
9R-HHC	0.2830	0.424	ND	ND	ND
(6aR,9S)-d10-THC	0.2830	0.424	ND	ND	ND
9S-HHC	0.2830	0.424	ND	ND	ND
CBC	0.2830	0.424	ND	ND	ND
CBCa	0.2830	0.424	ND	ND	ND
CBD	0.2830	0.424	2.518	0.41391	0.041
CBDa	0.2830	0.424	ND	ND	ND
CBDV	0.2830	0.424	ND	ND	ND
CBDVa	0.2830	0.424	ND	ND	ND
CBG	0.2830	0.424	2.116	0.34781	0.035
CBGa	0.2830	0.424	ND	ND	ND
CBN	0.2830	0.424	ND	ND	ND
CBNa	0.2830	0.424	ND	ND	ND
Δ^8 -THC	0.2830	0.424	ND	ND	ND
Δ^9 -THC	0.2830	0.424	8.089	1.32951	0.133
THCa	0.2830	0.424	ND	ND	ND
THCp	0.2830	0.424	ND	ND	ND
THCV	0.2830	0.424	ND	ND	ND
THCVa	0.2830	0.424	ND	ND	ND
Total THC			8.089	1.32951	0.133
Total CBD			2.518	0.41391	0.041
Total			12.723	2.09122	0.209

Date Tested: 09/02/2026

Unit Mass: 6.084 g; 1 Unit = 1 Gummy

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ^9 -THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
09/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.