

262303-25-07

Sample ID: 2606NBL0998.2759

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 06/08/2026

Completed: 06/09/2026

Expires: 06/09/2027

External Lot ID:

Batch#: 262303-25

Client

THC Provisions LLC

Lic. #

9300 Highway 290 W, Austin, TX 78736

(786) 614-8224 david@thcprovisions.com



Summary

Test	Date Tested	Result
Cannabinoids	06/08/2026	Complete

Cannabinoids

Complete

23.051 mg/unit	0.2362%	17.072 mg/unit	55.442 mg/unit
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.4737	0.711	ND	ND	ND
9R-HHC	0.4737	0.711	ND	ND	ND
(6aR,9S)-d10-THC	0.4737	0.711	ND	ND	ND
9S-HHC	0.4737	0.711	ND	ND	ND
CBC	0.4737	0.711	ND	ND	ND
CBCa	0.4737	0.711	ND	ND	ND
CBD	0.4737	0.711	17.072	1.74950	0.175
CBDa	0.4737	0.711	ND	ND	ND
CBDV	0.4737	0.711	ND	ND	ND
CBDVa	0.4737	0.711	ND	ND	ND
CBG	0.4737	0.711	ND	ND	ND
CBGa	0.4737	0.711	ND	ND	ND
CBN	0.4737	0.711	15.320	1.56996	0.157
CBNa	0.4737	0.711	ND	ND	ND
Δ8-THC	0.4737	0.711	ND	ND	ND
Δ9-THC	0.4737	0.711	23.051	2.36229	0.236
THCa	0.4737	0.711	ND	ND	ND
THCp	0.4737	0.711	ND	ND	ND
THCV	0.4737	0.711	ND	ND	ND
THCVa	0.4737	0.711	ND	ND	ND
Total THC			23.051	2.36229	0.236
Total CBD			17.072	1.74950	0.175
Total			55.442	5.68175	0.568

Date Tested: 06/08/2026

Unit Mass: 9.758 g, 1 Unit = 1 Gummy

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.