

# 261103-8(04)

Sample ID: 2603NBL0583.1527  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size:  
Date Collected:

Received: 03/31/2026  
Completed: 04/01/2026  
Expires: 04/01/2027  
External Lot ID:  
Batch#:

Client  
**THC Provisions LLC**  
Lic. #  
9300 Highway 290 W, Austin, TX 78736  
(786) 614-8224 david@thcprovisions.com



## Summary

Test	Date Tested	Result
Cannabinoids	04/01/2026	Complete

## Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.2932	0.440	ND	ND	ND
9R-HHC	0.2932	0.440	ND	ND	ND
(6aR,9S)-d10-THC	0.2932	0.440	ND	ND	ND
9S-HHC	0.2932	0.440	ND	ND	ND
CBC	0.2932	0.440	ND	ND	ND
CBCa	0.2932	0.440	ND	ND	ND
CBD	0.2932	0.440	6.793	1.08257	0.108
CBDa	0.2932	0.440	ND	ND	ND
CBDV	0.2932	0.440	ND	ND	ND
CBDVa	0.2932	0.440	ND	ND	ND
CBG	0.2932	0.440	ND	ND	ND
CBGa	0.2932	0.440	ND	ND	ND
CBN	0.2932	0.440	8.185	1.30433	0.130
CBNa	0.2932	0.440	ND	ND	ND
Δ8-THC	0.2932	0.440	ND	ND	ND
Δ9-THC	0.2932	0.440	9.125	1.45420	0.145
THCa	0.2932	0.440	ND	ND	ND
THCp	0.2932	0.440	ND	ND	ND
THCV	0.2932	0.440	ND	ND	ND
THCVa	0.2932	0.440	ND	ND	ND
<b>Total THC</b>			<b>9.125</b>	<b>1.45420</b>	<b>0.145</b>
<b>Total CBD</b>			<b>6.793</b>	<b>1.08257</b>	<b>0.108</b>
<b>Total</b>			<b>24.103</b>	<b>3.84109</b>	<b>0.384</b>

Date Tested: 04/01/2026  
Unit Mass: 6.275 g, 1 Unit = 1 Gummy  
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.  
Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
04/01/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.