



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

262601-25-02

Sample ID: 2606NBL1171.3227

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 07/01/2026

Completed: 07/06/2026

Expires: 07/06/2027

External Lot ID:

Batch#: 262601-25

Client

THC Provisions LLC

Lic. #

9300 Highway 290 W, Austin, TX 78736

(786) 614-8224 chris@thcprovisions.com



Summary

Test
Cannabinoids

Date Tested
07/03/2026

Result
Complete

Cannabinoids

Complete

23.775 mg/unit

Total Δ9-THC

0.2477%

Δ9-THC

10.410 mg/unit

Total CBD

43.448 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.4486	0.673	ND	ND	ND
9R-HHC	0.4486	0.673	ND	ND	ND
(6aR,9S)-d10-THC	0.4486	0.673	ND	ND	ND
9S-HHC	0.4486	0.673	ND	ND	ND
CBC	0.4486	0.673	ND	ND	ND
CBCa	0.4486	0.673	ND	ND	ND
CBD	0.4486	0.673	10.410	1.08439	0.108
CBDa	0.4486	0.673	ND	ND	ND
CBDV	0.4486	0.673	ND	ND	ND
CBDVa	0.4486	0.673	ND	ND	ND
CBG	0.4486	0.673	9.264	0.96496	0.096
CBGa	0.4486	0.673	ND	ND	ND
CBN	0.4486	0.673	ND	ND	ND
CBNa	0.4486	0.673	ND	ND	ND
Δ8-THC	0.4486	0.673	ND	ND	ND
Δ9-THC	0.4486	0.673	23.775	2.47652	0.248
THCa	0.4486	0.673	ND	ND	ND
THCp	0.4486	0.673	ND	ND	ND
THCV	0.4486	0.673	ND	ND	ND
THCVa	0.4486	0.673	ND	ND	ND
Total THC			23.775	2.47652	0.248
Total CBD			10.410	1.08439	0.108
Total			43.448	4.52587	0.453

Date Tested: 07/03/2026

Unit Mass: 9.600 g, 1 Unit = 1 Gummy

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%; Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.