

261101-25(09)

Sample ID: 2603NBL0583.1525
Matrix: Ingestible
Type: Soft Chew
Sample Size:
Date Collected:

Received: 03/31/2026
Completed: 04/01/2026
Expires: 04/01/2027
External Lot ID:
Batch#:

Client
THC Provisions LLC
Lic. #
9300 Highway 290 W, Austin, TX 78736
(786) 614-8224 david@thcprovisions.com



Summary

Test	Date Tested	Result
Cannabinoids	04/01/2026	Complete

Cannabinoids

Complete

27.063 mg/unit Total THC	0.2758% Δ9-THC	8.819 mg/unit Total CBD	46.584 mg/unit Total Cannabinoids
------------------------------------	--------------------------	-----------------------------------	---

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.4608	0.691	ND	ND	ND
9R-HHC	0.4608	0.691	ND	ND	ND
(6aR,9S)-d10-THC	0.4608	0.691	ND	ND	ND
9S-HHC	0.4608	0.691	ND	ND	ND
CBC	0.4608	0.691	ND	ND	ND
CBCa	0.4608	0.691	ND	ND	ND
CBD	0.4608	0.691	8.819	0.89863	0.090
CBDa	0.4608	0.691	ND	ND	ND
CBDV	0.4608	0.691	ND	ND	ND
CBDVa	0.4608	0.691	ND	ND	ND
CBG	0.4608	0.691	10.702	1.09048	0.109
CBGa	0.4608	0.691	ND	ND	ND
CBN	0.4608	0.691	ND	ND	ND
CBNa	0.4608	0.691	ND	ND	ND
Δ8-THC	0.4608	0.691	ND	ND	ND
Δ9-THC	0.4608	0.691	27.063	2.75756	0.276
THCa	0.4608	0.691	ND	ND	ND
THCp	0.4608	0.691	ND	ND	ND
THCV	0.4608	0.691	ND	ND	ND
THCVa	0.4608	0.691	ND	ND	ND
Total THC			27.063	2.75756	0.276
Total CBD			8.819	0.89863	0.090
Total			46.584	4.74667	0.475

Date Tested: 04/01/2026
Unit Mass: 9.814 g, 1 Unit = 1 Gummy
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
04/01/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.